




LOVE IT

Luxury Vinyl Tile




TOTALLY
ENTERPRISES, LLC





LACQUER
5220



RUSTIC
5231



DISTRESSED
5240



WEATHERED
5297



GLAZED
5241

TILE: 5120

5131

5140

5197

5141



PLANK







TILE



Style Number	1039
Construction	Luxury Vinyl Tile with Micro-Beveled Edges
Tile Size	18" x 18" (457.2 mm x 457.2 mm)
Plank Size	4" x 36" (101.5 mm x 914.4 mm)
Total Thickness	0.100" (2.5 mm)
Wear Layer Thickness.....	0.020" (0.51 mm)
Weight per piece Tile.....	2.12 lbs (0.96 kg)
Weight per piece Plank	0.94 lbs (0.43 kg)
Weight Per Carton Tile	38.1 lbs (17.3 kg)
Weight Per Carton Plank.....	33.8 lbs (15.3 kg)
Pieces Per Carton Tile	18
Pieces Per Carton Plank	36
Coverage per Carton Tile.....	40.5 sq. ft
Coverage per Carton Plank	36 sq. ft
Static Load Limit	750 PSI

Totally LVT Testing

ASTM F-1700 (Standard Spec for Solid Vinyl Floor Tile)	Class III, Type B
ASTM F-1514 (Heat Stability).....	Passes
ASTM F-925 (Stain & Chemical Stability).....	Passes
ASTM-E-662 (N.B.S. Smoke Chamber)	< 450 - Passes
ASTM-E-648 (Flooring Radiant Panel)	> 0.45 watts / cm2, Passes (Class 1)
Static Coefficient of Friction.....	Meets or exceeds ADA guidelines
HUD / FHA Requirements	Exceeds

Totally LVT Environmental

Recycled Content	30% Minimum Pre-Consumer
Environmental Product Declaration.....	3rd Party Certified Industry Wide Type III
FloorScore Indoor Air Quality	CDPH Standard Method v1.1-2010
ISO 9001, ISO 14001.....	Registered Manufacturing Facilities
Extended Producer Responsibility (EPR)	Reclamation & Recycling Program
Manufacture Location.....	Georgia, USA

Totally LVT Warranty	Limited 10 Year Commercial Warranty Limited 10 Year *TOTALLY SHIELD Finish Warranty
-----------------------------------	--

*TOTALLY SHIELD: Eliminates the need for polish over a period of time depending on the amount of foot traffic providing appearance retention, cleanability, durability, and slip retardance

Totally LVT Installation

Required Adhesive, Pourous Sub Floor	373
Required Adhesive, Pourous and Non-Pourous Substrates	PSA
Required Adhesive, Non-Pourous Subfloor.....	Universal 2-part Adhesive*

*Required for use under hospital beds or where high performance is needed

TOTALLY
ENTERPRISES, LLC

t o t a l l y c a r p e t . c o m

8 8 8 . 8 8 2 . 1 5 0 0