



**Stritex**  
COLLECTION

**TOTALLY**

ENTERPRISES, LLC

[totallycarpet.com](http://totallycarpet.com)

888.882.1500









**Stritex**  
Envision 1004-A9712  
**Tile + Monolithic**

**T****TOTALLY**

ENTERPRISES, LLC

[totallycarpet.com](http://totallycarpet.com)

888.882.1500





**Stritex**  
Envision 1004-A9712  
**Tile + Quarter-Turned**

**T****TOTALLY**  
ENTERPRISES, LLC

[totallycarpet.com](http://totallycarpet.com)


888.882.1500





**Stritex**  
Envision 1004-A9712  
**Broadloom**





VARIATION  
1004-F4195



ELEMENT  
1004-F1970



XP CREATIVITY  
1004-F1195



XP EXPRESSION  
1004-D1105



XP COMPLEXITY  
1004-C4095



XP ORIGINALITY  
1004-C2370



XP INTERWEAVE  
1004-A9711



XP INNOVATION  
1004-A3112



COMPOSITION  
1004-A2312



VERSATILITY  
1004-E4612



XP TEXTURE  
1004-E2003



COMPONENT  
1004-C2007




XP ENVISION  
1004-A9712




ALSO AVAILABLE IN SUITE COLORS:



BOARDROOM  
-C9795



GALLERY  
-B1116



CORRIDOR  
-C1195




RECEPTION  
AREA  
-B0311




MEZZANINE  
-A2011




LOFT  
-C2695




OFFICE  
-A4003



VESTIBULE  
-C1295




TERRACE  
-C2295




ATRIUM  
-B0320



STAIRCASE  
-C2333



AUDITORIUM  
-C3195



BREEZEWAY  
-B0319



<b>Style Name</b>	Stritex
<b>Style Number</b>	1004
<b>Pattern Repeat</b>	3.5" W x None
<b>Tufted Yarn Weight</b>	29 oz
<b>Gauge</b>	1/10
<b>Construction</b>	Tip-Sheared Enhanced Loop
<b>Face Yarn</b>	100% Solution-Dyed Nylon
<b>Yarn Spec</b>	Twisted & heatset for high performance
<b>Tufts per Sq. Inch</b>	132.5 (Gauge x Stitch Rate x Tufts/Stitch)
<b>Pile Height</b>	0.149
<b>Primary Backing</b>	4 oz Woven Polypropylene
<b>Secondary Backing</b>	High Performance Backing System with 18x5 Lino ActionBac
<b>Tile Backing</b>	Vinyl composite with recycled content
<b>Width Broadloom</b>	12'
<b>Tile Size</b>	24" x 24"
<b>Post Installation Protection</b>	Plastic protection is prohibited. It causes discoloration and accelerated soiling. Craft paper, corrugated box material or masonite are recommended.
<b>Treatments</b>	Commercial carpet soil protection & static control
<b>Broadloom Adhesive</b>	Totally Premium Broadloom Adhesive
<b>Tile Adhesive</b>	Totally Premium Tile Adhesive
<b>Flammability</b>	Passes Class 1 (ASTM E-648)
<b>Electrostatic Propensity</b>	Passes AATCC - 134 @ 3.5 KV or less
<b>Dye Lot Size</b>	Unlimited
<b>Custom Colors &amp; Weight</b>	Please Inquire
<b>Origin</b>	Made in USA
<b>LEED</b>	Contributes to Leed Credits
<b>CRI</b>	Green Label Plus
<b>Warranty</b>	Tile: Limited Lifetime Broadloom: Ten Year Limited

**TOTALLY**

ENTERPRISES, LLC

[totallycarpet.com](http://totallycarpet.com)

888.882.1500

